

# comsol

USB-C 9 Port Dock for MacBook Neo


Models: CMH01BL | CMH01PK  
CMH01SV | CMH01YL

User Manual Version 1.0



## In the Box

- 1 x 9 Port Dock + USB-C Cable
- 1 x User Manual



|          |                          |          |                        |
|----------|--------------------------|----------|------------------------|
| <b>1</b> | USB-C Host Port          | <b>5</b> | SD Card / microSD Card |
| <b>2</b> | HDMI Port                | <b>6</b> | USB-C Power Port       |
| <b>3</b> | USB-A (5Gbps) Data Ports | <b>7</b> | LED Power Indicator    |
| <b>4</b> | USB-C (5Gbps) Data Ports |          |                        |

## Operation

It is recommended to use the dock with your Neo's charger connected to the USB-C Power Port. **6** This provides power to the dock while also providing power to charge your Neo.

Connect the dock to your Neo by plugging the included USB-C cable into the host USB-C port **1** and the other end into the USB-C port closest to the back of the Neo. Connect your Neo's charger to the USB-C Power Port.

**Note:** It is important to connect the dock to the USB-C port closest to the back of the Neo. The dock will not work if connected to the other USB-C port.

## LED Indicator

The LED indicator **7** will light up when the dock is connected to the Neo. This indicates the dock is powered and ready for use.

## Video Output

Connect your HDMI monitor to the HDMI Port. **2**  
The following resolutions are supported

4K - 3840 x 2160 @ 60Hz  
HD - 1920 x 1080 @ 60Hz

## USB Ports

This dock has 2 x USB-A 5Gbps data ports **3** and 2 x USB-C 5Gbps data ports. **4** Connect your keyboard & mouse, USB drives or other USB devices.

Each port can also be used to charge your phone or other USB device at a maximum of 5W. It is recommended to only charge a single device at a time.

## Card Reader

Insert your SD or microSD card into the matching slot **5** to access or transfer your photos, videos and other digital media at speeds up to 104MB/s.

The SD card and microSD card ports can be used at the same time.

# Compatibility

This dock is designed for the MacBook Neo, but will also work with a MacBook Air, MacBook Pro, iPad Pro, Windows laptop or Chromebook.

## Specifications

- 1 x 4K HDMI monitor port
- 2 x USB-A ports (5Gbps)
- 2 x USB-C ports (5Gbps)
- 1 x SD Card Slot
- 1 x microSD Card Slot
- 1 x USB-C PD Power Port
- 1 x USB-C PD Host for up to 30W of power pass-through for Neo and 85W for others
- USB-C Cable Length: 20cm
- Dimensions: 102 x 46 x 15mm
- Weight: 71g

## Support

If you have any issues with setting up the device, or fear that it may be damaged or faulty, please contact Comsol support at [www.comsol.com.au](http://www.comsol.com.au). We have local support agents who can assist you via live chat, email, or over the phone.

This product is not endorsed by Apple Inc. and is compatible with MacBook Neo. MacBook Neo, MacBook Air, MacBook Pro and iPad Pro are trademarks of Apple Inc., registered in the U.S. and other countries. Windows is a registered trademark of Microsoft Corporation in the United States and/or other countries. Chromebook is a trademark of Google LLC. USB-C is a trademark of USB Implementers Forum, Inc. The term HDMI is a trademark or registered trademark of HDMI Licensing Administrator, Inc.

[www.comsol.com.au](http://www.comsol.com.au)



Made in China