

comsol


Model: WCDN15
15W Automatic Wireless Car Charging Cradle
With Mounting Accessories



In the Box

- 1 x Wireless Charging Cradle
- 1 x Vent Mount
- 1 x Adjustable Surface Mount
- 1 x Adhesive Disc
- 1 x 1.5m USB-C to USB-C Cable

User Manual v1.0



1	2	3	4
Wireless Charging Cradle Keeps your phone secure while providing up to 15W of fast wireless charging. 5. Function Button/s 6. USB-C Port 7. Mount Socket 8. Socket Fastener	Vent Mount Hooks directly onto a vent blade for a stable and secure hold. 9. Ball Joint 10. Thumb Screw 11. Hook	USB-C Cable Connect directly to a built-in USB-C port or a DC USB-C car charger adapter (sold separately).	Adjustable Surface Mount & Adhesive Disc Allows you to mount the charging cradle onto a windscreen or directly onto the dashboard. 9. Ball Joint 12. Thumb Screw/s 13. Suction Cup Clasp

Mount Installation

Unscrew the socket fastener ⑧ and place it over the ball joint. ⑨

Pop the ball joint into the mount socket ⑦ and secure the fastener.

Vent Mount

Extend the hook ⑪ by twisting the thumb screw ⑩ counterclockwise.

Place the hook onto the desired air vent blade, and secure it by twisting the thumb screw clockwise.

Surface Mount

Please ensure that any surface you wish to apply the mount to has been thoroughly cleaned before proceeding.

If you are mounting the cradle onto your dashboard; remove any protective films from the included adhesive disc and apply it to a flat surface on the dashboard. This will help to prevent the suction cup from coming loose.

Disengage the suction cup clasp. ⑬

Firmly place the suction cup onto the desired surface and re-engage the clasp.

Loosen the thumb screws ⑫ to adjust the orientation of the mount by tilting or extending the mounting arm.

Operation

Using the included USB-C cable; connect the charging cradle to a powered USB-C Port.


The cradle can detect when a phone has been inserted and will automatically grip onto it. Once the phone has been secured, wireless charging will begin and the function buttons ⑤ will pulse green.

To remove the phone from the cradle, press one of the function buttons to release the grip.

Do not attempt to forcefully remove the phone, or pry open the cradle grip.

This will cause damage to the locking mechanism inside of the charging cradle.

Please note: The wireless charging pad and/or phone may feel warm during wireless charging. This is normal and should not be cause for concern.



Specifications

- Input: USB-C PD
5V = 2A(10W) | 9V = 2.5A(22.5W) | 12V = 2A(24W)
- Wireless Output:
5W | 7.5W | 10W | 15W
- Weights and Dimensions:
Charging Cradle: 103.7mm (H) x 72.4mm (W) x 60.7mm (D) — 125g
Surface Mount: 61.8mm (H) x 68.0mm(W) x 112.9 mm (D) — 109g
Vent Mount: 42.9mm (H) x 27.9mm (W) x 69.4mm (D) — 22.5g
USB-C Cable: 1.5m (L)

Important Safety Instructions

- Only use original or reputable third party chargers and cables.
- Disconnect the device when not in use.
- Do not use if damaged or broken.
- Do not use near water or while device is wet.
- Do not use in extreme hot, humid, or corrosive environments.
- Do not clean with harmful chemicals or detergents.
- Do not place too close to magnetic strip or chip ID card.
- Do not place within 20cm of implantable medical devices (pacemaker, cochlear implant etc.) to avoid potential interference.

Support

If you have any issues with setting up the device, or fear that it may be damaged or faulty; please contact Comsol support. We have local support agents that can assist you via live chat, email, or over the phone.